



MEDICARE

Part A Intermediary
Part B Carrier
DME Regional Carrier

December 5, 2005

Anthony Velazquez, President
U.S. Orthotics, Inc.
8605 Palm River Road
Tampa, FL 33619

Re: Spina Chairback Spinal Orthosis (Models 1718, 1721, 1724, 1222, 2018, 2021, 2024, 2027, 2318, 2321, 2324, 2327)

Dear Mr. Velazquez:

This letter is in response to your recent inquiry for coding verification of the above listed product(s) manufactured by your company. The Statistical Analysis Durable Medical Equipment Regional Carrier (SADMERC) has reviewed the documentation and information submitted for HCPCS Coding. The SADMERC conducts reviews of products to determine the correct HCPCS code(s) of DMEPOS product(s) for Medicare billing.

It is our determination that the Medicare HCPCS code(s) to bill the four Durable Medical Equipment Regional Carriers (DMERCs) is/are:

For dates of service through December 31, 2005 use HCPCS code

K0642 Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustments.

Effective for dates of service on or after January 1, 2006 use HCPCS code

L0633 Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustments.

This HCPCS coding decision applies to the submitted product(s) as presented to and reviewed by the SADMERC. Any modifications to the product(s) could change the HCPCS code and would need to be reviewed for coding verification. The assignment of a HCPCS code to the product(s) should in no way be construed as an approval or endorsement of the product(s) by SADMERC or Medicare, nor does it imply or guarantee claim reimbursement or coverage. For questions regarding claim coverage or reimbursement please contact your regional DMERC.

Palmetto GBA

Statistical Analysis Durable Medical Equipment Regional Carrier
Post Office Box 100143 • Columbia, South Carolina • 29202-3143

A CMS Contracted Intermediary and Carrier